

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	595	"379"/\$.ccls or 348/14.02.ccls. or 455/414,41.ccls. or 345/738.ccls. or 382/183.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 10:12
L2	6331	(mobile or phone or PDA or handheld or cell) and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 10:12
L3	16	L2 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 10:12
S1	5499	(mobile or phone or PDA or handheld or cell) and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:08
S2	563	(mobile or phone or PDA or handheld or cell) with (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:08
S3	45	(mobile or phone or PDA or handheld or cell) with (code near2 image) and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:09
S4	37	S3 and memory and control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:09
S5	80222	(mobile or phone or PDA or handheld or cell) with (code or parcode near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:24

S6	563	(mobile or phone or PDA or handheld or cell) with ((code or parcode) near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 12:25
S7	3	(mobile or phone or PDA or handheld or cell) with ((code or parcode) near2 image)with memory with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:24
S8	17	S4 and analyz\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:26
S9	252	code near1 recogni\$5 near1 process\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:30
S10	21	S2 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 13:30
S11	209	osamu.in. and otaka.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:18
S12	11	Moroto.in. and norioki .in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:21
S13	785	watanabe.in. and shinichiro .in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:22
S14	1584	satoshi.in. and ogawa.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:22

S15	6	S11 and S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:22
S16	3	S11 and S12 and S13 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:22
S17	2	(mobile or phone or PDA or handheld or cell) with (code near2 image) with memory and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/03 14:52
S18	45	(mobile or phone or PDA or handheld or cell) with (code near2 image) and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:10
S19	37	S18 and memory and control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:10
S20	17	S19 and analyz\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:10
S21	17	S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/06 10:10
S22	567	(mobile or phone or PDA or handheld or cell) with ((code or parcode) near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:12
S23	567	S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:12

S24	17	S22 and control and memory and (application near program) and analyz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:14
S25	45	(mobile or phone or PDA or handheld or cell) with (code near2 image) and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:14
S26	37	S25 and memory and control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:14
S27	17	S26 and analyz\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:14
S28	2	("2002/0047867").URPN.	USPAT	OR	OFF	2008/03/11 09:37
S29	0	("7213743").URPN.	USPAT	OR	OFF	2008/03/11 09:39
S30	3	("6715131").URPN.	USPAT	OR	OFF	2008/03/11 09:39
S31	8	"5,704,350".pn. or "4,891,756".pn. or "6,219,560".pn. or "5,475,441".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:46
S32	1	S31 and (application near (program or manager or execution or unit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:48
S33	47	S22 and (application near (program or manager or execution or unit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:49

S34	17	S33 and control and memory and analyz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 09:50
S35	0	("2007/0241189").URPN.	USPAT	OR	OFF	2008/03/11 09:52
S36	0	("2007/0233729").URPN.	USPAT	OR	OFF	2008/03/11 09:52
S37	0	("2006/0282500").URPN.	USPAT	OR	OFF	2008/03/11 09:53
S38	0	("2006/0232662").URPN.	USPAT	OR	OFF	2008/03/11 09:53
S39	2019	(application near program) with down load with server with (cell or phone or telephone or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:12
S40	50	(application near program) with download with server with (cell or phone or telephone or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:13
S41	1	S40 and (code near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:14
S42	1	S40 and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:14
S43	24	S40 and image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 10:14
S44	1	S22 and (read\$3 near control near mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 11:19

S45	1	(one near dimension near barcode) and "379"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:17
S46	2	(one near dimension near barcode) and (two near dimension near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:25
S47	2	(one near dimension near code) and (two near dimension near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:26
S48	321	(one near dimension\$2 near code) and (two near dimension\$2 near code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:28
S49	242	S48 and (PDA or cell or phone or telephone or PC or computer or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:30
S50	93	S49 and code near image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:31
S51	93	S49 and (code near image) \\	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:31
S52	93	S49 and (code near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:31
S53	37	S52 and (code near reader)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:32

S54	1	S53 and (control with read \$3 with mode)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:32
S55	23	S53 and mode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:33
S56	23	S55 and (control\$3 or processor)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/11 16:36
S57	0	("2006/0065733").URPN.	USPAT	OR	OFF	2008/03/11 16:47
S58	0	("2006/0038145").URPN.	USPAT	OR	OFF	2008/03/11 16:48
S59	10	("20020176711" "20030198383" "5659167" "5821523" "5923735" "6040856" "6058304" "6330975" "6561428" "6807294"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/11 17:01
S60	10	("20020176711" "20030198383" "5659167" "5821523" "5923735" "6040856" "6058304" "6330975" "6561428" "6807294"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/12 09:05
S61	2	S60 and (two near2 dimension\$3 near2 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:05
S62	3	S60 and (code or barcode) near1 image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:10
S63	0	"10577287"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:14

S64	0	10/577287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:15
S65	0	10/577287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:15
S66	0	10/577,287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:15
S67	0	(10/577,287).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:15
S68	1	10/557,287	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 09:16
S69	21	((japanese near article near number) with code) or (JAN near code)) and QR near code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 12:41
S70	7	S69 and analyz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 12:42
S71	1	(plural\$3 near2 code near1 recognition) with analyz\$3 with (cod\$3 near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:00
S72	1	((plural\$3 or many or different) near2 code near1 recognition) with analyz\$3 with (cod\$3 near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:01

S73	1	((plural\$3 or many or different) near2 code near1 recognition) and analyz\$3 and (cod\$3 near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:01
S74	8	((plural\$3 or many or different) near2 code near1 recognition) and analyz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:02
S75	745	(mobile or cell or PDA or handheld ot phone or telephone) with ((pass\$3 or transmit\$4 or transfer \$3) near1 (information or data)) with (permission\$1 or accept\$3 or allow\$3 or agree\$4 or initiat\$3) with control	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:06
S76	2	S75 and code near image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:08
S77	29	(mobile or cell or PDA or handheld ot phone or telephone) with ((pass\$3 or transmit\$4 or transfer \$3) near1 (information or data)) with (permission\$1 or accept\$3 or allow\$3 or agree\$4 or initiat\$3) with control with image	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 13:08
S78	64	(code near image) with ((extra or additional or more) near1 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 15:57
S79	40	(permission\$1 or accept\$3 or allow\$3 or agree\$4 or initiat\$3) and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 15:58
S80	10	S79 and (application near program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 15:59

S81	184	("20010055422" "20020039099" "20020110283" "20020128796" "20030034463" "20030089775" "20040155110" "20060071081" "3801775" "3902047" "4020463" "4286255" "4335303" "4387298" "4499372" "4530584" "4544064" "4562592" "4581762" "4588211" "4656591" "4760248" "4776464" "4794239" "4832204" "4835372" "4855842" "4858000" "4868757" "4873426" "4877948" "4877949" "4924078" "4948955" "4972494" "5010241" "5019699" "5023438" "5038391" "5039847" "5050223" "5054102" "5102110" "5103489" "5119433" "5120940" "5134669" "5138140" "5138141" "5199081" "5199084" "5212777" "5237625" "5243655" "5262623" "5262871" "5278399" "5291243" "5296689" "5296690" "5296960" "5299116" "5301243" "5304423" "5304786" "5307423" "5317388" "5331151" "5331176" "5337361" "5354977" "5375226" "5378883" "5392447" "5396054" "5399846" "5410141" "5413383" "5414251" "5420943" "5421778" "5428211" "5428212" "5448375" "5449201" "5467411" "5471533" "5489158" "5490217" "5500516" "5504322" "5504367" "5506697" "5508818" "5513017" "5521366" "5550364" "5550366" "5557091" "5570135" "5574519" "5581636" "5591955" "5591956" "5598007" "5607187" "5617481" "5627915"	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/12 16:16
-----	-----	---	---------------------------	----	-----	---------------------

		"5635697" "5642442" "5644408" "5646390" "5659167" "5684290" "5691527" "5697504" "5702059" "5703349" "5710419" "5723868" "5726981" "5734153"). PN. OR ("5760382" "5761686" "5770841" "5773806" "5780834" "5783811" "5786586" "5796090" "5818028" "5818528" "5821518" "5834754" "5837986" "5841121" "5857029" "5867595" "5880453" "5886338" "5892824" "5917925" "5917945" "5929418" "5949052" "5949053" "5949057" "5974202" "5992753" "6000612" "6002491" "6011873" "6019286" "6055552" "6060722" "6062475" "6076731" "6076738" "6094509" "6095418" "6098887" "6105871" "6115513" "6122410" "6123261" "6129278" "6149063" "6195122" "6212504" "6223988" "6285916" "6290132" "6298175" "6298176" "6330975" "6340114" "6347163" "6398112" "6494375" "6512218" "6561428" "6722569" "6834807" "6899273").PN.				
S82	5	S81 and (code near image) and (application near program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 16:18
S83	4	(code near image) with (includ\$3 or have or embaded) with ((other or extra or more) near (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 16:24

S84	43	(code near image) with (includ\$3 or have or embaded) with (permi\$5 or allow\$3 or accept\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 16:27
S85	796	code with ((permi\$4 or security or match\$3) near1 bit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:06
S86	57	code with (portion or part) with((permi\$4 or security or match\$3) near1 bit\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:07
S87	172	(code near image) with (contain\$3 or includ\$3 or have or has) with (authoriz\$3 or authentication or ID or permi\$5 or allow\$3 or accept\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:33
S88	111	(code near image) with (contain\$3 or includ\$3 or have or has) with (authoriz\$3 or authentication or ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:34
S89	10	(code near image) with (portion or part or bits or additional) with (contain\$3 or includ\$3 or have or has) with (authoriz\$3 or authentication or ID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:35
S90	301	(code near image) with (portion or part or bits or additional) with (contain\$3 or includ\$3 or have or has)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:40
S91	214	(code adj image) with (portion or part or bits or additional) with (contain\$3 or includ\$3 or have or has)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:41
S92	3	(code adj image) with (portion or part or bits or additional) with (contain\$3 or includ\$3 or have or has) with (allow\$3 OR ERMIT\$4 OR ENABL\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:43

S93	6	(code adj image) with (portion or part or bits or additional) with (contain\$3 or includ\$3 or have or has) with (allow\$3 OR permit\$4 OR ENABL\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:44
S94	3	(code adj image) with (portion or part or bits or additional) with (contain\$3 or includ\$3 or have or has) same permit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:45
S95	14277	(bar near code).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:54
S96	32170	(bar near code).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:55
S97	11388	S95 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:55
S98	543	S97 and (code near image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:55
S99	19	S98 and ((bar\$1 near code) with ((additional or extra) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 17:57
S100	10	("4476381" "5869828" "5920062" "6032861" "6032863" "6270724" "6398117" "6457651" "6478223" "6479016"). PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/12 18:06
S101	2	S100 and ((bar\$1 near code) with ((additional or extra) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 18:08

S102	2	S100 and ((bar\$1 near code) with ((additional or extra or supplemental) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 18:18
S103	0	"325"/\$.cls. and ((bar\$1 near code) with ((additional or extra or supplemental) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 18:19
S104	341	barcode with ((additional or extra or supplemental) near (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 19:21
S105	25	S104 and ((allow\$3 or permit\$4 or authoriz\$4) near (access or log or download))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/12 19:23
S106	4206	382/115-124.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:16
S107	64	S106 and (code near3 binary)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:17
S108	64	S106 and (code near3 binary) with code\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:18
S109	41	S108 and analyz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:18
S110	342	barcode with ((additional or extra or supplemental) near (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:19

S111	342	S110	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:19
S112	0	S111 with (binary near1 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:20
S113	12	S111 and (binary near1 data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:20
S114	9	S113 and analyz\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:20
S115	12	(image near1 file) with (binary near1 data) with code\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 10:26
S116	5548	(mobile or phone or PDA or handheld or cell) and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:38
S117	5548	S116	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:38
S118	5548	(mobile or phone or PDA or handheld or cell) and (code near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:40
S119	5548	S118	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:40

S120	493	345/810.ccls. or 705/408.ccls. or 382/183.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:45
S121	9	S120 and S119	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:45
S122	45	(mobile or phone or PDA or handheld or cell) with (code near2 image) and (application near1 program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:46
S123	45	S122	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:46
S124	8	"5,704,350".pn. or "4,891,756".pn. or "6,219,560".pn. or "5,475,441".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:46
S125	8	S124	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:46
S126	64	(code near image) with ((extra or additional or more) near1 information)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:48
S127	64	S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:48
S128	40	(permission\$1 or accept\$3 or allow\$3 or agree\$4 or initiat\$3) and S126	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:48

S129	40	S128	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:48
S130	342	barcode with ((additional or extra or supplemental) near (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:49
S131	342	S130	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:49
S132	493	345/810.ccls. or 705/408. ccls. or 382/183.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:54
S133	80990	(mobile or phone or PDA or handheld or cell) with (code or parcode near2 image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:55
S134	20	S132 and S133	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:55
S135	50	(application near program) with download with server with (cell or phone or telephone or handheld or mobile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:56
S136	16	S133 and S135	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:57
S137	728	((bar\$1 near code) with ((additional or extra) near (information or data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:57

S138	104	S133 and S137	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/03/14 11:58
S141	152193	(mouse near5 key\$1board)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 15:48
S142	540	(mouse near3 key\$1board) near5 housing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 15:48
S143	164	(mouse near2 key\$1board) near3 housing	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 15:48
S144	1	10/799627	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:02
S145	1	"20030089775" and analyz \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:06
S146	67354	(lap\$1top or portable) and mouse and key\$1board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:13
S147	10810	(lap\$1top or portable) same mouse same key \$1board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:13
S148	3449	(lap\$1top or portable) with mouse with key\$1board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:13

S149	173	(lap\$1top or portable) near2 mouse near2 key \$1board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/02 16:13
S150	2	"20020047867" and display	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 07:53
S151	1	"20020047867" and (software same display)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/12/03 07:58

12/3/2008 10:12:46 AM

C:\Documents and Settings\melzoobi\My Documents\EAST\Workspaces\mobile communication
terminal.wsp